

xSDK: a Community of Diverse HPC Software Packages

Ulrike Meier Yang

Sep 23, 2019



E4S Forum



xSDK Project Members:

- Satish Balay
- Cody Balos
- Jim Demmel
- Veselin Dobrev
- Jack Dongarra
- Rob Falgout
- Aaron Fisher
- David Gardner
- Mike Heroux
- Tzanio Kolev
- Ruipeng Li
- Sherry Li
- Piotr Luszczek
- Lois Curfman McInnes
- T. Moore
- Sarah Osborn
- Slaven Peles
- Ben Recht
- Bjorn Sjogreen
- Barry Smith
- Keita Teranishi
- Carol Woodward
- Jim Willenbring
- Ulrike Meier Yang
- ...



xSDK Collaborators



- **AMReX**: Ann Almgren, Michele Rosso (LBNL)
- **DTK**: Stuart Slattery, Bruno Turcksin (ORNL)
- **deal.II**: Wolfgang Bangerth (Colorado State University)
- **hypre**: Ulrike Meier Yang, Sarah Osborn, Rob Falgout (LLNL)
- **MAGMA** and **PLASMA**: Piotr Luszczek (UTK)
- **MFEM**: Aaron Fischer, Tzanio Kolev (LLNL)
- **Omega_h**: Dan Ibanez (SNL)
- **PETSc/TAO**: Satish Balay, Alp Denner, Barry Smith (ANL)
- **PUMI**: Cameron Smith (RPI)
- **SUNDIALS**: Cody Balos, David Gardner, Carol Woodward (LLNL)
- **SuperLU** and **STRUMPACK**: Sherry Li and Pieter Ghysels (LBNL)
- **TASMANIAN**: Miroslav Stoyanov, Damien Lebrun Grandie (ORNL)
- **Trilinos**: Keita Teranishi, Jim Willenbring, Sam Knight (SNL)
- **PHIST**: Jonas Thies (DLR, German Aerospace Center)
- **SLEPc**: José Roman (Universitat Politècnica de València)
- **Alquimia**: Sergi Mollins (LBNL)
- **PFLOTRAN**: Glenn Hammond (SNL)

and many more ...

Outline

- **Motivation**
 - Math libraries and scientific software ecosystems
 - Building community and sustainability
 - xSDK history and goals to fulfill ECP needs
- **About the xSDK (eXtreme-scale Scientific software Development Kit)**
 - xSDK community policies
 - xSDK release process
 - Installing the xSDK
- **Lessons learned (see Keita's talk)**

Software libraries facilitate progress in computational science and engineering

- **Software library:** a high-quality, encapsulated, documented, tested, and multiuse software collection that provides functionality commonly needed by application developers
 - Organized for the purpose of being reused by independent (sub)programs
 - User needs to know only
 - Library interface (not internal details)
 - When and how to use library functionality appropriately
- **Key advantages** of software libraries
 - Contain complexity
 - Leverage library developer expertise
 - Reduce application coding effort
 - Encourage sharing of code, ease distribution of code
- **References:**
 - [https://en.wikipedia.org/wiki/Library_\(computing\)](https://en.wikipedia.org/wiki/Library_(computing))
 - [What are Interoperable Software Libraries? Introducing the xSDK](#)

Mutual benefits for users and library developers

User perspective

Focus on primary interests


- Reuse algorithms and data structures developed by experts
- Customize and extend to exploit application-specific knowledge
- Cope with complexity and changes over time

- More efficient, robust, reliable, sustainable software
- Improve developer productivity
- Better science

Provider perspective:

Share capabilities

- Broader impact of work
- Improved code quality
- Motivate new research directions



Individual software libraries are not enough.

- Well-designed libraries provide critical functionality ... But alone are not sufficient to address all aspects of next-generation scientific simulation and analysis.
- Applications need to use software packages **in combination** on ever evolving architectures

Need software ecosystem perspective

Ecosystem: A group of independent but interrelated elements comprising a unified whole

Ecosystems are challenging!

“We often think that when we have completed our study of one we know all about two, because ‘two’ is ‘one and one.’ We forget that we still have to make a study of ‘and.’ ”



– Sir Arthur Stanley Eddington (1892–1944), British astrophysicist

Difficulties in combined use of independently developed software packages


Challenges:

- Obtaining, configuring, and installing multiple independent software packages is tedious and error prone.
 - Need consistency of compiler (+version, options), 3rd-party packages, etc.
- Namespace conflicts
- Incompatible versioning
- And even more challenges for deeper levels of interoperability

Ref: [What are Interoperable Software Libraries? Introducing the xSDK](#)

Levels of package interoperability:

- **Interoperability level 1**
 - Both packages can be used (side by side) in an application
- **Interoperability level 2**
 - The libraries can exchange data (or control data) with each other
- **Interoperability level 3**
 - Each library can call the other library to perform unique computations



Extreme-scale Scientific Software Ecosystem

Interoperable Design of Extreme-scale Application Software (IDEAS)


Motivation

Enable **increased scientific productivity**, realizing the potential of extreme-scale computing, through **a new interdisciplinary and agile approach to the scientific software ecosystem**.

Objectives

Address confluence of trends in hardware and increasing demands for predictive multiscale, multiphysics simulations.

Respond to trend of continuous refactoring with efficient agile software engineering methodologies and improved software design.



Impact on Applications & Programs

Terrestrial ecosystem **use cases tie IDEAS to modeling and simulation goals** in two Science Focus Area (SFA) programs and both Next Generation Ecosystem Experiment (NGEE) programs in DOE Biologic and Environmental Research (BER).




IDEAS history

ASCR/BER partnership began in Sept 2014

Program Managers:

- Paul Bayer, David Lesmes (BER)
- Thomas Ndousse-Fetter (ASCR)



Approach

ASCR/BER partnership ensures delivery of both crosscutting methodologies and metrics with impact on real application and programs.

Interdisciplinary multi-lab team (ANL, LANL, LBNL, LLNL, ORNL, PNNL, SNL)

ASCR Co-Leads: Mike Heroux (SNL) and Lois Curfman McInnes (ANL)


BER Lead: David Moulton (LANL)

Integration and synergistic advances in three communities deliver scientific productivity; outreach establishes a new holistic perspective for the broader scientific community.

First-of-a-kind project: qualitatively new approach based on making productivity and sustainability the explicit and primary principles for guiding our decisions and efforts.

Use cases: Multiscale, multiphysics modeling of watershed dynamics

- **Use Case 1:** Hydrological and biogeochemical cycling in the Colorado River System
- **Use Case 2:** Thermal hydrology and carbon cycling in tundra at the Barrow Observatory
- **Use Case 3:** Hydrologic, land surface, and atmospheric process coupling over CONUS
- **Leverage & complement SBR, TES programs:**
 - LBNL and PNNL SFAs; NGEE Arctic and Tropics
- **Approach:**
 - Leverage existing open source apps
 - Improve software development practices
 - Targeted refactoring of interfaces, data structures, and key components to facilitate interoperability
 - Modernize management of multiphysics integration and multiscale coupling




Motivation and history of xSDK

Next-generation scientific simulations require combined use of independent packages

- Installing multiple independent software packages is tedious and error prone
 - Need consistency of compiler (+version, options), 3rd-party packages, etc.
 - Namespace and version conflicts make simultaneous build/link of packages difficult
- Multilayer interoperability among packages requires careful design and sustainable coordination
- **Prior to xSDK effort, could not build required libraries into a single executable due to many incompatibilities**

xSDK history: Work began in ASCR/BER partnership, IDEAS project (Sept 2014)

Needed for BER multiscale, multiphysics integrated surface-subsurface hydrology models



xSDK for ECP: Project goals, description, scope

Goals: Create a value-added aggregation of ECP mathematics libraries, to increase the combined usability, standardization and interoperability of these libraries, as needed to support large-scale multiphysics and multiscale problems.


Project Description

- Develop **community policies** and **interoperability** layers among xSDK component packages
- Determine xSDK sustainability strategy for ECP
- Work with ECP applications to motivate and test xSDK

Project Scope

- Enable the seamless combined use of diverse, independently developed software packages as needed by ECP applications
 - **coordinated use of on-node resources**
 - **integrated execution**
 - **coordinated & sustainable documentation, testing, packaging, and deployment**

xSDK is key delivery mechanism for ECP math libraries continual advancements toward predictive science.



Math Libraries Approach:

As motivated & validated by the needs of ECP applications:


- Establish performance baselines
- Refactor, revise algorithms and data structures for new architectures
- Research into new numerical algorithms for next-generation predictive science

Using math libraries in combination for next-generation apps

Notation:

A \Rightarrow B:

A can use B to provide
functionality on behalf of A



One example of
xSDK package
interoperability;
many more xSDK
package
interconnections
exist

xSDK4ECP: Focus on inter-package functionality, denoted by \Rightarrow

- Coordinating use of on-node resources
- Integrated execution (control inversion, adaptive execution strategies)

xSDK History: Version 0.1.0: April 2016


<https://xsdk.info>

Notation: $A \Rightarrow B$:

**A can use B to provide
functionality on behalf of A**

April 2016

- 4 math libraries
- 1 domain component
- PETSc-based xSDK installer
- 14 mandatory xSDK community policies



xSDK History: Version 0.2.0: February 2017

<https://xsdk.info>

Notation: $A \Rightarrow B$:

A can use B to provide
functionality on behalf of A

Multiphysics Application C

Application A


Application B

xSDK functionality, Feb 2017

Tested on key machines at ALCF, NERSC,
OLCF, also Linux, Mac OS X

February 2017

- 4 math libraries
- 2 domain components
- Spack xSDK installer
- 14 mandatory xSDK community policies



Domain components

- Reacting flow, etc.
- Reusable.

Libraries

- Solvers, etc.
- Interoperable.

Frameworks & tools


- Doc generators.
- Test, build framework.

SW engineering

- Productivity tools.
- Models, processes.

Extreme-Scale Scientific Software Development Kit (xSDK)


xSDK History: Version 0.3.0: December 2017



xSDK History: Version 0.4.0: December 2018


<https://xsdk.info>

Each xSDK member package uses or can be used with one or more xSDK packages, and the connecting interface is regularly tested for regressions.




xSDK functionality, Dec 2018

Tested on key machines at ALCF, NERSC, OLCF, also Linux, Mac OS X



December 2018

- 17 math libraries
- 2 domain components
- 16 mandatory xSDK community policies
- Spack xSDK installer




Impact: Improved code quality, usability, access, sustainability

Foundation for work on performance portability, deeper levels of package interoperability

xSDK library dependencies



Member
Build Dependency
Link Dependency



Interoperabilities between libraries – xSDK 0.4.0

	AMR	dealii	DTK	hypr	MAG	MFE	Omg	PETS	PHIS	PUMI	SLEP	STR	SUN	SLU	TAS	Tril
AMR	S			I				I					I			
dealii		S						S			I		S			S
DTK			S													S
hypr				S										I		
MAG					S											
MFE				S		S		S		S		S	I	S		
Omg							S									
PETS				S	I			S				I	I	S		S
PHIS								I	S							S
PUMI						I	I			S						I
SLEP								S			S					
STR					I							S				
SUN				I				I					S	I		I
SLU					I									S		
TAS					S										S	
Tril				S	I			I						S		S


- Each xSDK library needs to use or be used by at least one other xSDK library
- Will develop example codes
 - to demonstrate interoperabilities as part of documentation for xSDK users
 - to use to test xSDK

- **I**: package has support for using some part of the other.
- **S**: interoperability enabled in xSDK Spack package

xSDK History: Version 0.5.0 (in progress): November 2019


<https://xsdk.info>

Each xSDK member package uses or can be used with one or more xSDK packages, and the connecting interface is regularly tested for regressions.




xSDK functionality, Dec 2018

Tested on key machines at ALCF, NERSC, OLCF, also Linux, Mac OS X



December 2018

- 17 math libraries
- 2 domain components
- 16 mandatory xSDK community policies
- Spack xSDK installer



Impact: Improved code quality, usability, access, sustainability

Foundation for work on performance portability, deeper levels of package interoperability



xSDK: <https://xsdk.info>

Building the foundation of an extreme-scale scientific software ecosystem

xSDK community policies: Help address challenges in interoperability and sustainability of software developed by diverse groups at different institutions

xSDK compatible package: must satisfy the mandatory xSDK policies (M1, ..., M16)

Topics include: configuring, installing, testing, MPI usage, portability, contact and version information, open source licensing, namespacing, and repository access

Also specify **recommended policies**, which currently are encouraged but not required (R1, ..., R7)

Topics include: public repository access, error handling, freeing system resources, and library dependencies

xSDK member package:

- (1) Must be an xSDK-compatible package, *and*
- (2) it uses or can be used by another package in the xSDK, and the connecting interface is regularly tested for regressions.

xSDK policies 0.5.0: June 2019

- Facilitate combined use of independently developed packages

Impact:

- Improved code quality, usability, access, sustainability
- Foundation for work on deeper levels of interoperability and performance portability

We encourage feedback and contributions!

xSDK community policies

now also on github:

<https://github.com/xsdk-project/xsdk-community-policies>



We welcome feedback. What policies make sense for your software?

<https://xsdk.info/policies>

xSDK compatible package:

Must satisfy mandatory xSDK policies:

- M1.** Support xSDK community GNU Autoconf or CMake options.
- M2.** Provide a comprehensive test suite.
- M3.** Employ user-provided MPI communicator.
- M4.** Give best effort at portability to key architectures.
- M5.** Provide a documented, reliable way to contact the development team.
- M6.** Respect system resources and settings made by other previously called packages.
- M7.** Come with an open source license.
- M8.** Provide a runtime API to return the current version number of the software.
- M9.** Use a limited and well-defined symbol, macro, library, and include file name space.
- M10.** Provide an accessible repository (not necessarily publicly available).
- M11.** Have no hardwired print or IO statements.
- M12.** Allow installing, building, and linking against an outside copy of external software.
- M13.** Install headers and libraries under <prefix>/include/ and <prefix>/lib/.
- M14.** Be buildable using 64 bit pointers. 32 bit is optional.
- M15.** All xSDK compatibility changes should be sustainable.
- M16.** The package must support production-quality installation compatible with the xSDK install tool and xSDK metapackage.

Also **recommended policies**, which currently are encouraged but not required:

- R1.** Have a public repository.
- R2.** Possible to run test suite under valgrind in order to test for memory corruption issues.
- R3.** Adopt and document consistent system for error conditions/exceptions.
- R4.** Free all system resources it has acquired as soon as they are no longer needed.
- R5.** Provide a mechanism to export ordered list of library dependencies.
- R6.** Provide versions of dependencies.
- R7.** Have **README, SUPPORT, LICENSE, and CHANGELOG** file in top directory.

Changes in 0.5.0:

- ❑ **New recommended policy R7**
- ❑ **Dropped the requirement to detect MPI 2 features in M3**
- ❑ **Made various editorial changes in M5, M13, M15, and R2 for clarification or to fix typos.**

xSDK member package: Must be an xSDK-compatible package, *and* it uses or can be used by another package in the xSDK, and the connecting interface is regularly tested for regressions.

Changing or adding community policies

- Community policies now also available on github:
<https://github.com/xsdk-project/xsdk-community-policies>
- Propose new/revised policy:
 - Open a github pull request
 - Send a note to xsdk-developers@xsdk.info with link and summary
 - Add a discussion of pull request to xSDK meeting agenda
- Adopt new/revised policy:
 - The new or revised policy can be adopted at a meeting by consensus of attendees if at least 10 xSDK team members are present.
 - If no consensus: policy proposal should be revised, or put to a formal vote of member package leads (or their delegate). One vote is allowed per member package.

Compatibility with xSDK community policies

To help developers of packages who are considering compatibility with xSDK community policies, we provide:

- Template with instructions to record compatibility progress
- Examples of compatibility status for xSDK packages
 - Explain approaches used by other packages to achieve compatibility with xSDK policies
- Available at

<https://github.com/xsdk-project/xsdk-policy-compatibility>

xSDK Community Policy Compatibility for PETSc

This document summarizes the efforts of current and future xSDK member packages to achieve compatibility with the xSDK community policies. Below only short descriptions of each policy are provided. The full description is available [here](#) and should be considered when filling out this form.

Please, provide information on your compability status for each mandatory policy, and if possible also for recommended policies. If you are not compatible, state what is lacking and what are your plans on how to achieve compliance. For current xSDK member packages: If you were not compliant at some point, please describe the steps you undertook to fulfill the policy. This information will be helpful for future xSDK member packages.

Website: <https://www.mcs.anl.gov/petsc>

Mandatory Policies

Policy	Support	Notes
M1. Support xSDK community GNU Autoconf or CMake options.	Full	PETSc uses the GNU Autoconf options. The implementation is done with python code.
M2. Provide a comprehensive test suite for correctness of installation verification.	Full	PETSc has over 1000 test examples and a test harness that can execute the examples in parallel. It also collects information on the failures and can display them graphically, e.g., see ftp://ftp.mcs.anl.gov/pub/petsc/nightlylogs/archive/2017/09/19/master.html
M3. Employ userprovided MPI communicator (no MPI_COMM_WORLD).	Full	All PETSc objects take a MPI communicator in the constructor, allowing the user complete control over where each object exists and performs its computations.
M4. Give best effort at portability to low architectures (standard Linux)		

Processes for xSDK release and delivery

- **2-level release process**

- **xSDK member packages**

- Achieve compatibility with xSDK community policies prior to release
 - <https://github.com/xsdk-project/xsdk-policy-compatibility>
 - Have a Spack package
 - Port to target platforms
 - Provide user support

- **xSDK**

- Ensure and test compatibility of mostly independent package releases

- **Obtaining the latest release:** <https://xsdk.info/releases>

- **Draft xSDK package release process checklist:**

- <https://docs.google.com/document/d/16y2bL1RZg8wke0vY8c97ssvhRYNez34Q4QGg4LoIEUk/edit?usp=sharing>

xSDK delivery process

- Regular releases of software and documentation, primarily through member package release processes
- Anytime open access to production software from GitHub, BitBucket and related community platforms

xSDK release process - Spack/git workflow

- **Packages**


- Follow the [standard workflow](#) for a Spack package
- Submit pull requests with the “xSDK” label
- Provide package candidate and final releases for xSDK releases

- **xSDK meta-package**

- Depends on xSDK member packages: “**spack install xsdk**”
- Maintain xsdk branch in spack for release coordination

- **Coordinate development:**

- Via ‘development’ version of xsdk – using development versions of some of the individual packages



Downloading xSDK

<https://xsdk.info/download>

1. Obtain xSDK using Spack.

xSDK is distributed primarily with the [Spack](#) package manager.

You can obtain Spack from the [github repository](#) using this command:

```
git clone https://github.com/spack/spack.git
```

Installing xSDK

<https://xsdk.info/installing-the-software>

1. After cloning [spack](#) git repo, setup spack environment

```
# For bash users
$ export SPACK_ROOT=/path/to/spack
$ . $SPACK_ROOT/share/spack/setup-env.sh

# For tcsh or csh users (note you must set SPACK_ROOT)
$ setenv SPACK_ROOT /path/to/spack
$ source $SPACK_ROOT/share/spack/setup-env.csh
```

2. Setup [spack compilers](#)

```
spack compiler find
```

Spack compiler configuration is stored in `$HOME/.spack/$UNAME/compilers.yaml` and can be checked with

```
spack compiler list
```

Upcoming xSDK releases for ECP

FY20-FY23: Regular releases of xSDK for ECP

Theme throughout ECP timeframe: **Expanding ECP math library capabilities for predictive science:** Sustainable coordination and delivery of math libraries across independent development efforts, with enhanced capabilities as needed by ECP applications

- **Additional math packages** compatible with xSDK community policies
- **Deeper multilevel interoperability**, including control inversion and adaptive execution
- Coordination with broader ECP software ecosystem



CASC

Center for Applied
Scientific Computing



Disclaimer

This document was prepared as an account of work sponsored by an agency of the United States government. Neither the United States government nor Lawrence Livermore National Security, LLC, nor any of their employees makes any warranty, expressed or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States government or Lawrence Livermore National Security, LLC. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States government or Lawrence Livermore National Security, LLC, and shall not be used for advertising or product endorsement purposes.